

	Type	Hits	Search Text	DBs
1	BRS	1	5748936.pn.	USPAT; US-PGPUB
2	BRS	1	5621886.pn.	USPAT; US-PGPUB
3	BRS	1	5828824.pn.	USPAT; US-PGPUB
4	BRS	19	"810519"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	229	712/226.ccls.	USPAT
6	BRS	3	"9932979"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	2	6308241.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	1	early-restart	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	1	"0543487"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	9	"543487"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	2	6012137.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	0	memory adj map\$4 adj peripheral adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	129	memory adj map\$4 adj peripheral	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	27	bypass and (memory adj map\$4 adj peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	2	4851993.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	2	4722046.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	2	4742454.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	2	4722406.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
19	BRS	231	memory adj map\$4 near2 peripheral	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	pluarlity near2 memory adj map\$4 near2 peripheral	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	9	plurality near2 memory adj map\$4 near2 peripheral	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	0	9570252.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	0	09570252.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	1	"09570252"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	129	memory adj map\$4 adj peripheral	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	0	(memory adj map\$4 adj peripheral) near2 (advantag\$4 or purpose or motivat\$3 or desirable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	(memory adj map\$4 adj peripheral) near2 (advantag\$4 or purpose or motivat\$3 or desirable or want)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	0	(memory adj map\$4 adj peripheral) near3 (advantag\$4 or purpose or motivat\$3 or desirable or want)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	(memory adj map\$4 adj peripheral) near4 (advantag\$4 or purpose or motivat\$3 or desirable or want)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	0	(memory adj map\$4 adj peripheral) near5 (advantag\$4 or purpose or motivat\$3 or desirable or want)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	28	(memory adj map\$4 adj (I/O or peripheral)) near5 (advantag\$4 or purpose or motivat\$3 or desirable or want)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	387	712/218.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	372	712/225.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	233	711/138.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	739	bypass\$3 near2 cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
36	BRS	358	bypass\$3 adj cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	161	(bypass\$3 adj cache) and (cache adj miss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	35	(bypass\$3 adj cache) and (cache adj miss) and (memory adj map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	1	4837740.pn.	USPAT; US-PGPUB
40	BRS	1	5187800.pn.	USPAT; US-PGPUB
41	BRS	0	reload near2 missed near2 data near2 cache	USPAT; US-PGPUB
42	BRS	1	(reload or refill) near2 missed near2 data near2 cache	USPAT; US-PGPUB
43	BRS	877	711/141.ccls.	USPAT; US-PGPUB
44	BRS	673	711/137.ccls.	USPAT; US-PGPUB
45	BRS	733	711/133.ccls.	USPAT; US-PGPUB
46	BRS	5425	cache adj miss	USPAT; US-PGPUB
47	BRS	5732	((cache adj miss) or (miss adj hit) or (miss-hit))	USPAT; US-PGPUB
48	BRS	615	((miss adj hit) or (miss-hit))	USPAT; US-PGPUB
49	BRS	0	712/138.ccls.	USPAT